

**Safety Data Sheet**  
acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 09/30/2016

Revision: 09/30/2016

**1 Identification**

- **Product identifier**
- **Trade name:** EZSpaPRO™
- **Article number:** No other identifiers
- **Recommended use and restriction on use**
- **Recommended use:** Water treatment
- **Restrictions on use:** See Sections 8 and 10 for further information.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
APi  
880 Jupiter Park Drive, Suite 14  
Jupiter, FL 33458 USA  
Phone: 561-743-0449
- **Emergency telephone number:**  
ChemTel Inc.  
(800)255-3924, +1 (813)248-0585

**2 Hazard(s) identification**

- **Classification of the substance or mixture**
- Acute Tox. 4 H302 Harmful if swallowed.
- Skin Irrit. 2 H315 Causes skin irritation.
- Eye Dam. 1 H318 Causes serious eye damage.
- Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- Skin Sens. 1 H317 May cause an allergic skin reaction.
- STOT SE 3 H335 May cause respiratory irritation.

-----  
· **Label elements**

- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms:**



GHS05 GHS07 GHS08

- **Signal word:** Danger
- **Hazard statements:**  
H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H317 May cause an allergic skin reaction.  
H335 May cause respiratory irritation.
- **Precautionary statements:**  
P284 In case of inadequate ventilation wear respiratory protection.  
P261 Avoid breathing dust.

(Cont'd. on page 2)



# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 09/30/2016

Revision: 09/30/2016

**Trade name: EZSpaPRO™**

(Cont'd. of page 1)

- P264 Wash thoroughly after handling.
- P280 Wear protective gloves and eye protection.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P272 Contaminated work clothing must not be allowed out of the workplace.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P302+P352 IF ON SKIN: Wash with plenty of water.
- P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
- P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
- P330 Rinse mouth.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P405 Store locked up.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system**

· **NFPA ratings (scale 0 - 4)**



· **HMS-ratings (scale 0 - 4)**



\* - Indicates a long term health hazard from repeated or prolonged exposures.

· **Other hazards** There are no other hazards not otherwise classified that have been identified.

### 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Components:**

	Trade Secret Ox. Sol. 3, H272 Resp. Sens. 1, H334 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	20-35%
	Trade Secret Eye Dam. 1, H318	10-25%

(Cont'd. on page 3)



**Safety Data Sheet**  
acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 09/30/2016

Revision: 09/30/2016

**Trade name: EZSpaPRO™**

(Cont'd. of page 2)

	Trade Secret ⚠ Acute Tox. 4, H302; Eye Irrit. 2A, H319	<10%
	Trade Secret ⚠ Acute Tox. 4, H302; Eye Irrit. 2A, H319	<10%
	Trade Secret ⚠ Met. Corr. 1, H290; Eye Dam. 1, H318	<10%
	Trade Secret ⚠ Eye Dam. 1, H318 ⚠ Acute Tox. 4, H302; Acute Tox. 4, H332	<10%
	Trade Secret ⚠ Repr. 1B, H360	<6%

**Additional information:**

For the wording of the listed Hazard Statements refer to section 16.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

**4 First-aid measures**

**Description of first aid measures**

**General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Take affected persons out into the fresh air.

**After inhalation:**

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

**After skin contact:**

Brush off loose particles from skin.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

**After eye contact:**

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

**After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

**Most important symptoms and effects, both acute and delayed:**

Asthma attacks

Breathing difficulty

Coughing

Allergic reactions

Cramp

Strong irritant with the danger of severe eye injury.

May cause respiratory irritation.

Gastric or intestinal disorders when ingested.

(Cont'd. on page 4)



## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 09/30/2016

Revision: 09/30/2016

**Trade name: EZSpaPRO™**

(Cont'd. of page 3)

- **Danger:**  
Danger of impaired breathing.  
Harmful if swallowed.  
Danger of gastric perforation.
- **Indication of any immediate medical attention and special treatment needed:**  
Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible.  
Medical supervision for at least 48 hours.  
Later observation for pneumonia and pulmonary edema.  
Contains dipotassium peroxodisulphate. May produce an allergic reaction.  
In cases of irritation to the lungs, initial treatment with cortical steroid inhalants.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** None.
- **Special hazards arising from the substance or mixture**  
During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.
- **Additional information:** Cool endangered receptacles with water in flooding quantities.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures:**  
Use respiratory protective device against the effects of fumes/dust/aerosol.  
Wear protective equipment. Keep unprotected persons away.  
Keep away from ignition sources.  
Product forms slippery surface when combined with water.  
Ensure adequate ventilation.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Pick up mechanically.  
Send for recovery or disposal in suitable receptacles.
- **Reference to other sections:**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

(Cont'd. on page 5)



## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 09/30/2016

Revision: 09/30/2016

Trade name: EZSpaPRO™

(Cont'd. of page 4)

### 7 Handling and storage

- **Handling**
- **Precautions for safe handling:**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of dust.  
Any deposit of dust which cannot be avoided must be regularly removed.
- **Information about protection against explosions and fires:**  
Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:**  
Store in a cool location.  
Avoid storage near extreme heat, ignition sources or open flame.  
Use only receptacles specifically permitted for this substance/product.  
Unsuitable material for receptacle: aluminium.  
Protect from humidity and water.
- **Information about storage in one common storage facility:**  
Store away from flammable substances.  
Store away from foodstuffs.  
Do not store together with alkalis (caustic solutions).
- **Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s):** No relevant information available.

### 8 Exposure controls/personal protection

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**

#### Trade Secret

TLV (USA)	Long-term value: 0.1 mg/m <sup>3</sup> as Persulfates
EL (Canada)	Long-term value: 0.1 mg/m <sup>3</sup> as persulfate
EV (Canada)	Long-term value: 0.1 mg/m <sup>3</sup>

#### Trade Secret

REL (USA)	Short-term value: 20 mg/m <sup>3</sup> Long-term value: 10 mg/m <sup>3</sup>
TLV (USA)	Short-term value: 20 mg/m <sup>3</sup> Long-term value: 10 mg/m <sup>3</sup>
EL (Canada)	Short-term value: 20 mg/m <sup>3</sup> Long-term value: 10 mg/m <sup>3</sup> fume

(Cont'd. on page 6)

**Safety Data Sheet**  
acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 09/30/2016

Revision: 09/30/2016

**Trade name: EZSpaPRO™**

(Cont'd. of page 5)

EV (Canada)	Short-term value: 20 mg/m <sup>3</sup> Long-term value: 10 mg/m <sup>3</sup> fume
LMPE (Mexico)	Short-term value: 20 mg/m <sup>3</sup> Long-term value: 10 mg/m <sup>3</sup>
<b>Trade Secret</b>	
EV (Canada)	Long-term value: 5 mg/m <sup>3</sup>
<b>Trade Secret</b>	
REL (USA)	Long-term value: 2 mg/m <sup>3</sup> as Al
TLV (USA)	Long-term value: 1* mg/m <sup>3</sup> as Al;*as respirable fraction
<b>Trade Secret</b>	
REL (USA)	Long-term value: 1 mg/m <sup>3</sup>
TLV (USA)	Short-term value: 6* mg/m <sup>3</sup> Long-term value: 2* mg/m <sup>3</sup> *as inhalable fraction
EL (Canada)	Short-term value: 6 mg/m <sup>3</sup> Long-term value: 2 mg/m <sup>3</sup>
EV (Canada)	Short-term value: 6 mg/m <sup>3</sup> Long-term value: 2 mg/m <sup>3</sup>
LMPE (Mexico)	Short-term value: 6* mg/m <sup>3</sup> Long-term value: 2* mg/m <sup>3</sup> A4, *fracción inhalable

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Do not inhale gases / fumes / aerosols.  
Avoid contact with the eyes and skin.
- **Engineering controls:** No relevant information available.
- **Breathing equipment:**  
Suitable respiratory protective device recommended.  
Particulate mask should filter at least 99% of airborne particles.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Cont'd. on page 7)

**Safety Data Sheet**  
acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 09/30/2016

Revision: 09/30/2016

**Trade name: EZSpaPRO™**

(Cont'd. of page 6)

· **Eye protection:**



Safety glasses

· **Body protection:** Protective work clothing

· **Limitation and supervision of exposure into the environment**

No relevant information available.

· **Risk management measures** See Section 7 for additional information.

**9 Physical and chemical properties**

· **Information on basic physical and chemical properties**

· **Appearance:**

· **Form:** Crystalline

· **Color:** White

· **Odor:** Odorless

· **Odor threshold:** Not determined.

· **pH-value:** Not applicable.

· **Melting point/Melting range:** Not determined.

· **Boiling point/Boiling range:** Not determined.

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Contact with combustible material may cause fire.

· **Auto-ignition temperature:** Not determined.

· **Decomposition temperature:** Not determined.

· **Danger of explosion:** Not determined.

· **Explosion limits**

· **Lower:** Not determined.

· **Upper:** Not determined.

· **Oxidizing properties:** Oxidizer

· **Vapor pressure:** Not applicable.

· **Density at 20 °C (68 °F):** 2.48 g/cm<sup>3</sup> (20.696 lbs/gal)

· **Relative density:** Not determined.

· **Vapor density:** Not applicable.

· **Evaporation rate:** Not applicable.

· **Solubility in / Miscibility with**

· **Water:** Soluble.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity**

· **Dynamic:** Not applicable.

(Cont'd. on page 8)



# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 09/30/2016

Revision: 09/30/2016

Trade name: EZSpaPRO™

(Cont'd. of page 7)

<b>Kinematic:</b>	Not applicable.
<b>Other information</b>	No relevant information available.

## 10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions:**  
Reacts with organic substances.  
Reacts with flammable substances.  
Reacts with strong alkali.  
Reacts with humid air.  
Reacts with strong acids.
- **Conditions to avoid:**  
Excessive heat.  
Moisture.
- **Incompatible materials:** No relevant information available.
- **Hazardous decomposition products:**  
Carbon monoxide and carbon dioxide  
Sulfur oxides (SOx)  
Chlorine compounds

## 11 Toxicological information

- **Information on toxicological effects**
  - **Acute toxicity:**
- |   |      |                  |
|---|------|------------------|
| · <b>LD/LC50 values that are relevant for classification:</b> |      |                  |
| <b>Trade Secret</b>   |      |                  |
| Oral  | LD50 | 802 mg/kg (rat)  |
| <b>Trade Secret</b>   |      |                  |
| Oral  | LD50 | 1650 mg/kg (rat) |
| <b>Trade Secret</b>   |      |                  |
| Oral  | LD50 | 1700 mg/kg (rat) |
- **Primary irritant effect:**
  - **On the skin:** Irritant to skin and mucous membranes.
  - **On the eye:** Strong irritant with the danger of severe eye injury.
  - **Sensitization:** May cause sensitisation by inhalation and skin contact.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

(Cont'd. on page 9)





## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 09/30/2016

Revision: 09/30/2016

**Trade name: EZSpaPRO™**

(Cont'd. of page 8)

**· NTP (National Toxicology Program):**

None of the ingredients are listed.

**· OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

**· Probable route(s) of exposure:**

Ingestion.

Inhalation.

Eye contact.

Skin contact.

**· Acute effects (acute toxicity, irritation and corrosivity):** Harmful if swallowed.**· Repeated dose toxicity:** Repeated exposures may result in skin and/or respiratory sensitivity.**· CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)****· Germ cell mutagenicity:** Based on available data, the classification criteria are not met.**· Carcinogenicity:** Based on available data, the classification criteria are not met.**· Reproductive toxicity:** Based on available data, the classification criteria are not met.**· STOT-single exposure:** May cause respiratory irritation.**· STOT-repeated exposure:** Based on available data, the classification criteria are not met.**· Aspiration hazard:** Based on available data, the classification criteria are not met.

## 12 Ecological information

**· Toxicity****· Aquatic toxicity** The product contains materials that are harmful to the environment.**· Persistence and degradability** No relevant information available.**· Bioaccumulative potential:** No relevant information available.**· Mobility in soil:** No relevant information available.**· Ecotoxicological effects:****· Remark:** After neutralization a reduction of the harming action may be recognized**· Additional ecological information****· General notes:** Do not allow product to reach ground water, water course or sewage system.**· Other adverse effects:** No relevant information available.

## 13 Disposal considerations

**· Waste treatment methods****· Recommendation:**

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

**· Uncleaned packagings****· Recommendation:** Disposal must be made according to official regulations.

(Cont'd. on page 10)



**Safety Data Sheet**  
acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 09/30/2016

Revision: 09/30/2016

**Trade name: EZSpaPRO™**

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

(Cont'd. of page 9)

**14 Transport information**

· **UN-Number**  
· DOT, ADR, IMDG, IATA Not regulated.

· **UN proper shipping name**  
· DOT, ADR, IMDG, IATA Not regulated.

· **Transport hazard class(es)**  
· DOT, ADR, IMDG, IATA  
· Class Not regulated.

· **Packing group**  
· DOT, ADR, IMDG, IATA Not regulated.

· **Environmental hazards**  
· Marine pollutant: No

· **Special precautions for user** Not applicable.

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

**15 Regulatory information**

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
· United States (USA)  
· SARA

· **Section 302 (extremely hazardous substances):**  
None of the ingredients are listed.

· **Section 304 (emergency release notification):**  
None of the ingredients are listed.

· **Section 355 (extremely hazardous substances):**  
None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**  
None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act)**  
All ingredients are listed.

· **Proposition 65 (California)**

· **Chemicals known to cause cancer:**  
None of the ingredients are listed.

(Cont'd. on page 11)



# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 09/30/2016

Revision: 09/30/2016

**Trade name: EZSpaPRO™**

(Cont'd. of page 10)

**· Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

**· Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

**· Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

**· Carcinogenic categories****· EPA (Environmental Protection Agency):**

None of the ingredients are listed.

**· IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

**· NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients are listed.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**· Date of preparation / last revision 09/30/2016 / -****· Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety &amp; Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Ox. Sol. 3: Oxidizing solids – Category 3

Met. Corr. 1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Resp. Sens. 1: Respiratory sensitisation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Repr. 1B: Reproductive toxicity – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

**· Sources**

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6

(Cont'd. on page 12)



**Safety Data Sheet**  
acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 09/30/2016

Revision: 09/30/2016

**Trade name: EZSpaPRO™**

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaassen, Curtis D., ed., ISBN: 978-0-07-176923-5.  
Safety Data Sheets, Individual Manufacturers

(Cont'd. of page 11)

SDS Prepared by:  
ChemTel Inc.  
1305 North Florida Avenue  
Tampa, Florida USA 33602-2902  
Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573  
Website: [www.chemtelinc.com](http://www.chemtelinc.com)